


This drawing is the property of Cathodic Anodes Australasia. To be used with permission only.
 This drawing becomes an uncontrolled document once issued as hard or electronic copy.
 Customer to confirm current revision of drawing prior to ordering.



Note: Until Further Notice USE CDZ9-115 for CDZ9-064 - 6 mm lesser Anode Length only

Note: Pressure Die Cast Component

All dimensions are in mm (nominal)

Chemical Composition Limits			Alloy: Z1
Standard: AS2239* (Most current revision)			
Element	min.	max.	
Zinc			
Cadmium	0.025	0.07	
Aluminium	0.10	0.50	
Silicon	-	0.005	
Copper	-	0.005	
Iron	-	0.005	
Lead	-	0.006	
Other Impurities			
- each	-	0.005	
- total	-	0.02	
Zinc		remainder	

* Corresponds to MIL-DTL-18001L alloy composition

Notes

1. Anodes are cast to comply with CAA's standard casting tolerances
2. All sharp edges removed for safe handling
3. Anode Insert material to meet relevant Australian/International specifications



Rev	Details of Change(s)	Date	Nett Weight		Gross Weight	
			Kg (nominal)		Kg (nominal)	
			0.180		N/A	
1	Cathodic Diecasting Original	17 August 2010		B.L.	R.G.	
2	2013 Catalogue Version (CAA Logo)	21 February 2014		R.N.	R.G.	



cathodicanodes.com.au

Product Zinc Anode		Scale 1.5 : 1	
Part no. CDZ9-064		Rev Sheet 2 1 of 1	
Drawing No: CD1404		Rev Sheet 2 1 of 1	
Drawn by: R Northey Date: 21 FEB 2014			