



This drawing is the property of Cathodic Anodes Australasia. To be used with permission only.
 This drawing becomes an uncontrolled document once issued as hard or electronic copy.
 Customer to confirm current revision of drawing prior to ordering.



Total Overall Length = 81 Metres
 Lead Rope = 5 Metres
 Anode String = 76 Metres
 Anode Centres @ 150 mm
 76 m / 0.15 Centres = 506 Anodes
 String Net Weight = 253 kg

Chemical Composition Limits			Alloy:
Standard: AS2239* (Most current revision)			Z1
Zinc			
Element	min.	max.	
Cadmium	0.025	0.07	
Aluminium	0.10	0.50	
Silicon	-	0.005	
Copper	-	0.005	
Iron	-	0.005	
Lead	-	0.006	
Other Impurities			
- each	-	0.005	
- total	-	0.02	
Zinc	remainder		

- Notes
- Anodes are cast to comply with CAA's standard casting tolerances
 - All sharp edges removed for safe handling
 - Anode insert material to meet relevant Australian/International specifications



Nett Weight Kg (nominal)		Gross Weight Kg (nominal)		
253.0		257.5		
Rev	Details of Change(s)	Date	Drawn	Verified
1	For Quotation	29 August 2016	R.N.	J.L.



Cathodic Anodes Australasia

cathodicanodes.com.au

Product Zinc Anode			
Part no. CDZ7 - 411 String Anode		Scale 1 : 4	
Drawing No: CD2317		Rev 1	Sheet 1 of 1
Drawn by: R Northey		Date: 29 AUG 2016	

All dimensions are in mm (nominal)

* Corresponds to MIL-DTL-18001L alloy composition