



This drawing is the property of Cathodic Anodes Australasia. To be used with permission only. This drawing becomes an uncontrolled document once issued as hard or electronic copy. Customer to confirm current revision of drawing prior to ordering.

All dimensions are in mm (nominal)



Chemical Composition Limits			Alloy: Z1
Standard: AS2239* (Most current revision)			
Zinc			
Element	min.	max.	
Cadmium	0.025	0.07	
Aluminium	0.10	0.50	
Silicon	-	0.005	
Copper	-	0.005	
Iron	-	0.005	
Lead	-	0.006	
Other Impurities			
- each	-	0.005	
- total	-	0.02	
Zinc	remainder		

* Corresponds to MIL-DTL-18001L alloy composition

- Notes
1. Anodes are cast to comply with CAA's standard casting tolerances
 2. All sharp edges removed for safe handling
 3. Anode insert material to meet relevant Australian/International specifications



EUBALENA VESSEL

Use CDZ8-84-125H as Bottom Spigot - Use CDZ8-124-2.0H as Top Spigot

Rev	Details of Change(s)	Date	Drawn	Verified
1	For Quotation	27 July 2015	R.N.	J.L.

CAA
Cathodic Anodes Australasia
cathodicanodes.com.au

Product Zinc Anode for EUBALENA VESSEL	
Part no. CDZ8-126-1.37H Type 4	Scale 1 : 2
Drawing No: CD3989	Rev 1 Sheet 1 of 1
Drawn by: R Northey	Date: 27 JUL 2015
Mould No: 96	Strap Sample: TBA

